

just
how
GREEN
is it

?

#### **GOOD QUESTION** "Green" is the idea

decisions we make today will resonate for years to come. Also known as "green architecture," "highperformance building" of architecture. and "sustainable design," it expands the focus beyond the building itself, taking into account the longterm impact it will have on the environment, the economy, and human health. The concept of "green" institutions, and govhas been around for decades. Early green design often focused on energy efficiency or used recycled mate- ability of buildings rials to promote clean air, water, and soil.

However, environmental awareness has increased dramatically in the past decade. Today, architects and designers, contractors, manufacturers and suppliers have an increased understanding of sustainable design and of their role in preserving our planet's precious resources.

As sustainable design continues to gain prevathat the environmental lence, the definition of "green" will continue to expand and evolve. More than a trend, sustainable design is becoming the future

> Increasingly, clients are of building products demanding efficient, long lasting design that enhances both the quality of life for their communities as well as their bottom line. Various organizations, ernment bodies are aggressively creating guidelines and criteria to assess the sustainand the materials that comprise them.

While a number of standards have already been established, "getting green" requires architects, building professionals, and owners to continue to educate themselves about the environmental-friendliness in order to make responsible choices.

That's why we've brought you this information about brick.

What constitutes "green"?

The U.S. Green Building Council defines "sustainable design" as the practices of design and construction that significantimpact of buildings on the environment and occupants in five broad categories:

- 1. Sustainable site planning
- 2. Safeguarding water & water efficiency
- 3. Energy efficiency & renewable energy
- 4. Conservation of materials & resources
- 5. Indoor environmental quality
- 6. Regionally appropriate planning and design.

#### WHY REVISIT BRICK?


It's a material you've long known, specified and used successfully. You know its design flexibility, durability, and low maintenance, and how its endless array of colors, shapes, textures, and sizes set the standard for beauty. What you may not know is that it's a natural for today's new emphasis on sustainable design.

Its unsurpassed life cycle, exceptional energy efficiency, natural ingredients, minimal waste, and countless recycling options are just a few of the properties that make brick the superb sustainable material it has been for thousands of years.









Building professionals should consider the following characteristics of materials when planning sustainable design projects – Products which:

- 1. Are made from environmentally attractive materials
- 2. Are "green" because of what isn't there
- 3. Reduce environmental impact during manufacture, distribution, construction, renovation and demolition
- 4. Reduce the environmental impact of building operation and maintenance.
- 5. Contribute to a safe, healthy indoor
- GreenSpec Criteria Building Green Inc.

# WE SHOULD ALL LOOK SO A recent study conducted **GOOD AT A HUNDRED** by the National Brick Research Center demon-

Brick has an amazing life cycle, conservatively estimated at one hundred years, yet it's hard to Whether the building ignore older examples in which it's originally tend to focus on the used to make brick

#### **Consider this:**

The AIA Environmental Resource Guide reports the embodied energy of brick as less than that of concrete, glass, steel or aluminum. Since that report was issued, the brick industry has reduced the actual "embodied energy" of brick (the energy required to mine, manufacture and transport it), by almost 70%. The embodied energy decreased from 4,000 BTU's per pound (14,000 BTU's per standard brick) in 1970 to 1,239 BTU's per pound (4,300 BTU's per standard brick) today. This number is also far below the embodied energy of EIFS and fiber-

cement products.

strates these results. [see chart on overleaf]

of its longevity, such as used sees its hundredth the Great Wall and the birthday or not, the life Roman aqueducts. It ages of the brick can go on beautifully, and requires in another building as almost no maintenance. salvaged brick (with all Critics, who understand- its charms and beneficial ably may attempt to divert qualities intact), crushed your attention elsewhere, and used as a roadway sub-base material, or amount of heat energy chipped into a permanent landscaping mulch without putting it in the (a great vantage from context of its long life. which to watch its next generation carry on its time-honored and valued tradition). And, in the rare event that it ever finds its way into a landfill, because it's simply "earth," it's inert, so it requires no special handling.

> So, "earth to earth," and all that.

> > a PRESENT for the future

#### The Benefits of Building Green\* **ENVIRONMENTAL**

Building green reduces the impact of natural resource consumption **ECONOMIC** 

It improves the bottom line in terms of building operation, asset value, worker productivity, and can bring favorable zoning ordinances and tax benefits **HEALTH & SAFETY** 


COMMUNITY

It minimizes the strain on local infrastructures by lessening demand for landfills, and transportation of materials

#### **HARAPPA BRICK**

Fired brick from Harappa, the capital city of Indus valley, Harappan culture (now part of Pakistan) circa 2500 BC





#### JERICHO BRICK

From a pre-pottery Neolithic settlement discovered beneath the biblical city of Jericho. Carbon 14 tests at the site indicate it is 9,000-10,000 years old.



#### **Life Cycle Insights**

The following chart provides a cradle-to-grave assessment of all energy consumption & pollution generated in manufacturing a unit area (square foot) distributed over the warranted life of the product. The warranted life was chosen, when available, as the best indicator of the potential performance of the product.

Thus, unlike the BRE
Profiles, the envelope
material was assessed
based on its warranted
life rather than an
average building life.
The end product of the
assessments was the
kilowatt hours consumed,
the pounds of pollution,
and the landfill/depletion
weight per unit area of
cladding on a per year
of service life basis.

#### Cladding/Life Cycle Analysis

| Basic Data   | Brick<br>Masonry   | Block<br>Masonry                      | Fiber<br>Cement                       | Vinyl<br>Siding                                    | EIFS                                 |
|--|--|---------------------------------------|---------------------------------------|--|--------------------------------------|
| Warranty<br>Weight/ft²   | 100 years<br>35.5 lb.                                      | 50 years<br>42.8 lb.                  | 50 years<br>2.3 lb.                   | 50 years<br>0.5 lb.                                | 5 years<br>1.24 lb.                  |
| Energy,<br>Mining &<br>Manufacturing<br>Recycling<br>& Energy<br>kWh/ft²/yr    | Recycling:<br>Brick 100%<br>Mortar 40%<br>Energy:<br>0.252 | Recycling:<br>80%<br>Energy:<br>0.228 | Recycling:<br>0%¹<br>Energy:<br>0.328 | Recycling:<br>80% <sup>2</sup><br>Energy:<br>0.210 | Recycling:<br>0%¹<br>Energy:<br>5.48 |
| Pollution<br>Water & air<br>emissions<br>lb/ft²/yr                             | 0.011  | 0.005                                 | 0.026                                 | 0.001  | 0.023                                |
| Distribution<br>Energy<br>Avg/Distance,<br>Miles &<br>Net Energy<br>kWh/ft²/yr | 175 miles<br>0.004   | 100 miles<br>0.004                    | 365 Miles<br>0.146                    | 310 miles<br>0.001                                 | 300 miles<br>0.189 <sup>3</sup>      |
| Waste &<br>Depletion<br><i>lb/ft²/yr</i>                                       | 0.108  | 0.203                                 | 0.048                                 | 0.4604   | 0.828                                |
| TOTALS   |  |                                       |                                       |  |                                      |
| Energy   | 0.256  | 0.232                                 | 0.474                                 | 0.211  | 5.669                                |
| Pollution  | 0.011  | 0.005                                 | 0.026                                 | 0.001  | 0.023                                |
| Waste &<br>Depletion   | 0.108  | 0.203                                 | 0.048                                 | 0.460  | 0.828                                |

Research data generated by the National Brick Research Center, Clemson University

- <sup>1</sup> No proven method available
- <sup>2</sup> Used the maximum allowed in this analysis (80%). According to the Vinyl Siding Institute, 100% of vinyl siding is recyclable. Some environmental groups claim recycling of vinyl siding results in dioxin emissions.
- Low weight per truckload influenced results
- <sup>4</sup> Depletion of salt in processing PVC influenced result:

## The Benefits of Building Green\* ENVIRONMENTAL

Building green reduces the impact of natural resource consumption

#### **ECONOMIC**

It improves the bottom line in terms of building operation, asset value, worker productivity, and can bring favorable zoning ordinances and tax benefits

#### **HEALTH & SAFETY**

It enhances occupants' comfort & health **COMMUNITY** 

It minimizes the strain on local infrastructures by lessening demand for landfills, water supply, storm water management, and transportation of materials

\* U.S. Green Building Council







Here are just a few areas where **brick can contribute** to a project being awarded a **LEED**™ certification.\* *Note: Points shown below refer to total points allowed in credit, not points contributed solely by brick.* 

### CATEGORY:

#### SUSTAINABLE SITES

#### Stormwater Design (1-2 points)

Permeable pavements utilizing flexible brick pavements allow

#### **Credit 7 Heat Island Effect: Non-Roof** (1 point)

Light colored brick pavers (plus some select, red pavers) qualify as a hardscape material with an SRI of at least 29

#### CATEGORY:

#### **ENERGY & ATMOSPHERE**

#### **Credit 1 Optimize Energy Performance** (1-19 points)

Brick is an energy-efficient material with insulating value and high thermal mass. It can also be used in passive solar construction by utilizing its thermal lag to reduce peak energy loads.

#### CATEGORY:

#### **MATERIALS & RESOURCES**

#### **Credit 1 Building Reuse** (1-4 points)

Brick has a useful life of more than 100 years. Brick buildings can often be reused. Brick walls and non-structural elements can also be reused.

#### Credit 2

#### **Construction Waste Management** (1-2 points)

Brick's small unit size helps divert waste from landfills and salvaged brick can be used in road construction or other buildings.

#### Credit 3

#### Materials Reuse (1-2 points)

Brick and other masonry are among the most commonly salvaged building materials.

#### Credit 4

#### **Recycled Content** (1-2 points)

or industrial waste aggregates that are rendered harmless when the brick is fired.

#### Credit 5

#### Regional Materials (1-2 points)

The raw materials of brick, clay and shale are abundant and always nearby, making brick available regionally, efficient to transport and distribute.

#### CATEGORY:

#### INDOOR ENVIRONMENTAL QUALITY

#### Credit 4 Low-Emitting Materials – Flooring Systems (1 point)

The use of brick floors avoids carpets and adhesives – leading to the avoidance of VOCs.

#### CATEGORY:

#### INNOVATION IN DESIGN

#### **Credit 1** Innovation in Design (1-5 points)

Brick can contribute to superior acoustic comfort. Brick interior walls do not require paint – leading to the avoidance of VOCs. Brick structures also can also yield a Life Cycle Assessment advantage.

#### CATEGORY: Credit 1

#### : REGIONAL PRIORITY

#### **Regional Priority** (1-4 points)

Brick can help achieve credits that address geographically specific environmental priorities.

\* Categories and Credits apply to LEED (NC) 2009 Rating Systen

The LEED™ Green Building Rating System for New Construction and Major Renovations, developed by the U.S. Green Building Council, is a set of performance standards for certifying the design and construction of commercial or institutional buildings and high-rise residential buildings of all sizes, both public and private. The intent is to promote healthful, durable, affordable and environmentally sound practices in building, design and construction.

Prerequisites and credits in the LEED 2009 for New Construction and Major Renovations addresses 7 topics and includes specific points available as follows:

Sustainable Site 26
Water Efficiency 10
Energy & Atmosphere 35
Materials & Resources 14
Indoor Environmental Quality 15
Innovation in Design 6
Regional Priority 4
Total Possible Points 110

LEED™ certifications are awarded according to the

following scale:

CATEGORY POINTS
Certified 40-49
Silver 50-59
Gold 60-79
Platinum 80 and above

#### **Green Globes\*\***

The Green Building Initiative became accredited in 2005 as a standards developer by ANSI and owns the U.S. license for Green Globes®— a green commercial building rating system that combines education with environmental assessments in fully interactive online tools for new and existing buildings. With the Green Globes rating system, the use of brick can assist with up to 15% of the 1000 points available in the following categories:

#### Site ASSESSMENT AREA No.

Subcategories include: Ecological Impacts; Storm Water Management; Site Ecology

#### **Energy** ASSESSMENT AREA No. 8

Subcategories include: Passive Demand Reduction; Thermal resistance and Transmittance

#### Resources/Materials ASSESSMENT AREA No. 10

Subcategories include: Material Content; Transportation of Materials; Salvaged Materials; Reuse of Existing Structure/Building Façade: Reduction, Reuse and Recycling of Waste; Building Service Live Plan

#### Indoor Environment ASSESSMENT AREA No. 12

Subcategories include: Source Control of Indoor Pollutants; Acoustic Comfort

\*\*Note: See BIA Tech Note for complete description of categories and point contributions from brick.





Over the years, the brick clay and shale have industry has taken numerous positive steps to ensure that it respects and protects our environment. For instance, over 90% of all brick manufacturers are aggressively reclaiming and enhancing the land from which processed or recycled

been harvested. Over 90% use dust control and collection equipment. About 80% reuse their own fired waste material or convert it into other products, and almost half use

waste materials in brick production. Numerous brick companies have received both state and national recognition for outstanding accomplish ments in safeguarding the environment. And more improvements are in the works.



The brick industry funds and supports a **National Research** Center that continually and use methane seeks ways to improve from landfill gas as the efficiencies of the manufacturing process source and an alterto reduce impacts on native to fossil fuels. the environment.

Some brick manufacturers have even begun to capture a renewable energy

Country Club & Golf Lodge, an example of the parks, ball fields and other community amenities many manufactui ers are creating by reclaiming retired clay and shale harvesting sites.

Now, more than ever, building professionals will be expected to incorporate "green" concepts that satisfy or exceed guidelines established by local, state and federal governments, agencies, and institutions. The brick industry is committed to supporting this movement by adhering to the following Brick Industry **Environmental Policy** Statement:

The brick industry recognizes that the stewardship of our planet lies in the hands of our generation. Our goal is to continually seek out innovative, environmentally friendly opportunities in the manufacturing process and for the end use of clay brick products.

As demonstrated over time, we are committed to manufacturing products that provide exceptional energy efficiency, durability, recyclability and low maintenance with a minimal impact on the environment from which they originate. We assure that our facilities meet or exceed state and federal environmental regulations, and we will continue to partner with building professionals to help them in using our products to create environmentally responsible living and working spaces for today's and future generations.

Brick is the first masonry material that can attain a "Certificate of Environmental Claims" from a third party source. The Bishop Materials Laboratory, located at The National Brick Research Center, a component of Clemson University, has developed a means to verify the use of renewable energy sources in firing, the content of recycled materials, and reductions in resources for manufacturing brick.



Learning Center for Sustainable Futures

no less than 30% postconsumer fiber, and is elemental chlorine free.

This brochure contains

Copyright 2010

Southeast Region

Brick Industry

If possible, please pass this brochure

Brochure

Rick Hovis All rights reserved

hixson design

Primary photography

colleague.

along to an interested

Architect: Collins Cooper Carusi Architects, Inc. G







It's world-wide and history-long. Natural & abundant. It's amazingly recyclable, with an incredible life cycle. Low-maintenance. Environmentally responsible. With proven durability. Near zero waste. Truly green.

Brick.

For more information please contact: **Brick Industry Southeast Region** 8420 University Executive Park Suite 800 Charlotte, NC 28262

LEED Silver

704.510.1500 800.622.7425



brought to you by: **Brick Industry Association** 1850 Centennial Park Drive Suite 301 Reston, VA 20191

703.620.0010 www.gobrick.com CHECK THIS OUT